



中国船级社
CHINA CLASSIFICATION SOCIETY

证书编号/Certificate No.
HB20PTB00040_01

型式认可证书
CERTIFICATE OF TYPE APPROVAL

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products described in the certificate.

品牌拥有方/ Licensor

Hilti Aktiengesellschaft
Feldkircher Strasse 100, Schaan 9494, Liechtenstein

授权制造企业/Authorized Manufacturer

The products are manufactured by the OEM located in Slovenia
Slovenia

产品名称/Product

贯穿件、贯穿装置
Division Penetrations
电缆贯穿装置
Cable Transits

认可标准/Approval Standard

- IMO 2010年FTP规则第3部分
IMO 2010 FTP Code Part Three
- 1974年SOLAS公约及其修正案II-2章第3条和第9条
Regulations 3 and 9, Chapter II-2 of 1974 SOLAS Convention, as Amended

证书有效期至/ This Certificate is valid until **2024年05月06日/ May. 06, 2024**

发证机构/ Issued by **中国船级社汉堡分社**
CCS Hamburg Branch

签发日期/ Date **2020年07月18日**
Jul. 18, 2020

本证书根据中国船级社规范和相关规定签发。所有证书页为一个整体，必须同时使用。纸质证书每页均须由本社盖章方为有效，电子证书含数字签名方为有效，本证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。有关方对所持证书的真实性有疑问时，可以向本社检验机构咨询。This Certificate is issued pursuant to the Rules of the Society and related regulation. All pages of the certificate are taken as a whole and are used simultaneously. No paper certificate page is valid without bearing the stamp of the Society, no electronic certificates is valid without the digital signature, and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.



Form No: T02.

联系方式/Contact Us, 见本社官方网站/See official web site of the Society (<http://www.ccs.org.cn>)

UTN:P020-33892880

用于/Intended for

船舶与海上设施/Ships and Offshore Installations

产品明细/Product Description

电缆贯穿装置/Cable Transits (M0001)

名称/Name	属性（值）/Value	单位/Unit
型式/Model	Bulkhead Cable transit Type CFS-T	
规格/Specification	RR/RRS-50; RRS-100, RR-200, SS/SSF 2x1, SS/SSF 8x1	
舱壁电缆贯穿耐火等级/受火面/Fire Class of Bulkhead Cable Transits /Exposed Face	A0 / Refer to approved drawings and FTP test reports	
甲板电缆贯穿耐火等级/受火面/Fire Class of Deck Cable Transits /Exposed Face	Not applicable	
电缆占据率/Cable Spacing Factor	SS/SSx:0-26 RR:0-48 RRS:0-100	%
密封堵料/Caulking	Halogen free EPDM sulfuric vulcanized modules	
密封填料/Sealing	Not applicable	
气密性/Airtight	Refer to remarks	
水密性/Watertight	Refer to remarks	

电缆贯穿装置/Cable Transits (M0002)

名称/Name	属性 (值) /Value	单位/Unit
型式/Model	Deck Cable transit Type CFS-T	
规格/Specification	RR/RRS-50, RRS-100, RR-200, SS/SSF 2x1, SS/SSF 8x1	
舱壁电缆贯穿耐火等级/受火面/Fire Class of Bulkhead Cable Transits /Exposed Face	Not applicable	
甲板电缆贯穿耐火等级/受火面/Fire Class of Deck Cable Transits /Exposed Face	A0 / Refer to approved drawings and FTP test reports	
电缆占据率/Cable Spacing Factor	SS/SSx:0-26 RR:0-48 RRS:0-100	%
密封堵料/Caulking	Halogen free EPDM sulfuric vulcanized modules	
密封填料/Sealing	Not applicable	
气密性/Airtight	Refer to remarks	
水密性/Watertight	Refer to remarks	

电缆贯穿装置/Cable Transits (M0003)

名称/Name	属性 (值) /Value	单位/Unit
型式/Model	Bulkhead Cable transit Type CFS-T	
规格/Specification	RR/RRS-50; RRS-100, RR-200, SS/SSF 2x1, SSR 4x1, SS/SSR/SSRF 6x1, SS/SSF 6x5, SS/SSF/SSR 8x1, SS/SSF 8+8x2, SSR/SSRF 8x2btb, SS/SSF 8x5	
舱壁电缆贯穿耐火等级/受火面/Fire Class of Bulkhead Cable Transits /Exposed Face	A60 / Refer to approved drawings and FTP test reports	
甲板电缆贯穿耐火等级/受火面/Fire Class of Deck Cable Transits /Exposed Face	Not applicable	
电缆占据率/Cable Spacing Factor	0-100	%
密封堵料/Caulking	Halogen free EPDM sulfuric vulcanized modules	
密封填料/Sealing	Not applicable	
气密性/Airtight	Refer to remarks	
水密性/Watertight	Refer to remarks	

电缆贯穿装置/Cable Transits (M0004)

名称/Name	属性 (值) /Value	单位/Unit
型式/Model	Deck Cable transit Type CFS-T	
规格/Specification	RR/RRS-50; RRS-100, RR-200, SS/SSF 2x1, SSR 4x1, SS/SSF 6x1, SS/SSF 6x5, SS/SSF/SSR/SSRF 8x1, SS/SSF 8+8x2, SS/SSRF 8x2btb, SS/SSF 8x5	
舱壁电缆贯穿耐火等级/受火面/Fire Class of Bulkhead Cable Transits /Exposed Face	Not applicable	
甲板电缆贯穿耐火等级/受火面/Fire Class of Deck Cable Transits /Exposed Face	A60 / Refer to approved drawings and FTP test reports	
电缆占据率/Cable Spacing Factor	0-100	%
密封堵料/Caulking	Halogen free EPDM sulfuric vulcanized modules	
密封填料/Sealing	Not applicable	
气密性/Airtight	Refer to remarks	
水密性/Watertight	Refer to remarks	

批准的图纸/Approved Drawings

图纸批准号/ Drawings Approval No. : NP20PPP00318

产品认可试验报告/ Approval Test Report

试验报告编号/ Test Report No. : 19289A
试验报告日期/ Test Report Date : 2018-11-20
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19288A
试验报告日期/ Test Report Date : 2018-11-20
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19444A
试验报告日期/ Test Report Date : 2019-01-16
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19540A
试验报告日期/ Test Report Date : 2019-03-14
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19290A
试验报告日期/ Test Report Date : 2018-11-20
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : P 0474/17-530-2
试验报告日期/ Test Report Date : 2018-04-25
试验单位/ Laboratory: ZAG
试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : P 1139/17-530-1
试验报告日期/ Test Report Date : 2018-05-29
试验单位/ Laboratory: ZAG
试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : P 1139/17-530-3
试验报告日期/ Test Report Date : 2018-06-11
试验单位/ Laboratory: ZAG
试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : P 1139/17-530-2
试验报告日期/ Test Report Date : 2018-06-05
试验单位/ Laboratory: ZAG
试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : 19039A
试验报告日期/ Test Report Date : 2018-06-21
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19040A
试验报告日期/ Test Report Date : 2018-06-21
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)
试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : 19210A
试验报告日期/ Test Report Date : 2018-08-07
试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)

试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

试验报告编号/ Test Report No. : P 0474/17-530-1

试验报告日期/ Test Report Date : 2018-04-24

试验单位/ Laboratory: ZAG

试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : P 1139/17-530-4

试验报告日期/ Test Report Date : 2018-06-18

试验单位/ Laboratory: ZAG

试验单位地址/ Test Address: Dimiceva ulica 12, 1000 Ljubljana, Slovenia

试验报告编号/ Test Report No. : 19041A

试验报告日期/ Test Report Date : 2018-06-28

试验单位/ Laboratory: WFRGENT N.V. (WARRINGTON FIRE GENT)

试验单位地址/ Test Address: Ottergemsesteenweg-Zuid 711, 9000 GENT, Belgium

认可后的产品检验方式/ Method of Product Inspection after Approval

按规范只认可不进行产品检验的产品/The product approved only in term of the rules:

认可后的产品检验由制造厂按本社批准的产品检验计划进行检验, 经检验合格后由制造厂签发合格证明, 并连同该产品的本社认可证书复印件一并交付用户, 制造厂对产品符合公约、法规、本社规范和本社认可的标准规定负责。After approval, product inspection should be carried out by the Manufacturer in accordance with the product inspection scheme approved by the Society. Upon satisfactory inspection, and the Quality Certificate issued by the Manufacturer should be provided to the purchaser together with the copy of the approval certificate issued by the Society. The manufacturer should take responsibility for the product being in compliance with the convention, statutory regulation, the Society rules and the standard accepted by the Society.

认可保持条件/ Maintenance Requirements of Approval

1. 型式认可后, 如果产品及其重要零部件的设计、所用材料或制造方法有所改变, 且影响到产品的主要特性、特征; 或产品的性能指标有所更改, 且超过认可的范围, 则有关图纸和文件应经检验机构审批。并在检验机构认为必要时, 经本社检验人员见证有关试验和进行检查, 其结果应能证实仍符合认可条件。

After type approval, if there are changes to the design, materials used or manufacturing method of the product and important components and such changes affect major characteristics and properties of the product, or property indexes of the product are changed and exceed the scope of approval, related drawings and documents are to be examined and approved by the concerned survey office. Where deemed necessary by the survey office, the surveyor to the Society will go to witness relevant tests and conduct inspection and the results should be able to demonstrate compliance with the approval conditions.

2. 工厂的质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

3. 认可证书有效期内, 如果出现可能导致本社取消认可的情况, 工厂应及时采取有效的纠正措施。

Within the validity of the approval certificate, if cases occur that may cause the Society to withdraw the approval, the manufacturer should take corrective actions in a prompt and effective manner.

4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。

Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.

5. 如果属于获得型式认可B 模式证书, 且无需颁发船用产品证书/等效证明文件的情况, 证书获得者应接受本社每年一次的定期审核, 定期审核日为认可证书期满之日对应的每一周年日, 检查工作应在周年日的前后三个月内进行。

If belong to the situation of the product has type approval mode B certificate, and marine product certificate/equivalent document is not necessary, those who have obtained the certificate should be subject to periodical audit every year. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit shall be done within a time span of three months before and after the annual surveillance date.

6. 本认可证书的有效性与品牌拥有方和产品制造企业之间的授权协议保持一致, 但不得超过4年。

The period of validity of this certificate is consistent with that of the agreement between the licensor and the manufacturer(s), but in no case it can over 4 years.

7. 在本证书有效期内，品牌拥有方和产品制造企业之间的授权协议的失效将自动导致本证书的失效。

During the period of validity, this certificate will automatically be ineffective in case of the invalidity of the authorization agreement between the licensor and the manufacturer(s).

备注/Remarks

1, 本证书基于原证书 (No. HB16T00023) 签发并替代原证书。The certificate is reissued based on and supersedes the previous certificate (No. HB16T00023) .

2, 本社已审核了产品厂无石棉声明，但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society.

However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

3, The Class A fire resistant bulkhead/ deck (tightening method of thermal insulation material on Class A structural element) shall be consistent with the material, detail and arrangement in thermal insulation material approval test and fire resistant test report.

4, This approval certificate covers below listed modules/components:

a, SSR, SSR/R30, SSRF/R30, SSK, SSbtb, SBF as alternative frame.

b, EMC modules,

c, EX - Explosion-proof modules:refer to below mentioned Ex certificate:

The Ex-Proof parameters of the approved products originate from Ex-Certification received from manufacturer (Issuing Body: Tuev Sued Product Service GmbH , Ex-Certification No.:EX 5 11 12 51975 001 , Standards for Ex-Proof: Ex II2 GD Ex e II IP65), not approved by CCS.

5, Water/gas tightness test report of transit system CFS-T SSF 8x1 with air pressure 1.5bar and water pressure 4.5bar reviewed and accepted. Report No. WGT CFS-T-070219-01. Another report WGT CFS-T-291018-01 with gas tight of 3.0 bar to SSF 8x1 reviewed and accepted as well.

6, Filling ratio : 0% means no cable in module, 100% means all modules with cable.

中国船级社汉堡分社
CCS Hamburg Branch