

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
 Issue date: 13/12/2021 Revision date: 13/12/2021 Supersedes version of: 18/11/2020 Version: 4.0

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture  
 Trade name CFS-SP SIL  
 Product code BU Fire Protection

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category Professional use  
 Industrial/Professional use spec Restricted to professional users  
 Use of the substance/mixture Firestop silicone joint spray

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Hilti (Gt. Britain) Ltd.  
 1 Circle Square  
 3 Symphony Park  
 M1 7FS Manchester - Great Britain  
 T +44 161 886 1000  
 0800 886 100 Toll-free - F +44 161 872 1240  
[gbsales@hilti.com](mailto:gbsales@hilti.com)

##### Department issuing data specification sheet

Hilti AG  
 Feldkircherstraße 100  
 9494 Schaan - Liechtenstein  
 T +423 234 2111  
[chemicals.hse@hilti.com](mailto:chemicals.hse@hilti.com)

#### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service  
 +41 44 251 51 51 (international)  
 +44 161 886 1000  
 0800 886 100 Toll-free

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS Direct (England and Wales) NHS 24 (Scotland)		111 or contact a doctor	

### SECTION 2 Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1 H317  
 Carcinogenicity, Category 1B H350

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	GHS07      GHS08
Signal word (CLP)	Danger
Contains	Vinyltris(methylethylketoxime)silane, Methyltris(1-methylpropylideneaminoxy)silane, Butanone oxime
Hazard statements (CLP)	H317 - May cause an allergic skin reaction. H350 - May cause cancer.
Precautionary statements (CLP)	P261 - Avoid breathing vapours, mist. P280 - Wear Protective clothing, eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P308+P313 - IF exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Extra phrases	Restricted to professional users.
UFI	FAT5-Q2QX-6PN6-GKV2

### 2.3. Other hazards

Component	
Calcium carbonate (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Silica (7631-86-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Calcium carbonate(1317-65-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Silica(7631-86-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Methyltris(1-methylpropylideneaminoxy)silane(22984-54-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
Vinyltris(methylethylketoxime)silane(2224-33-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Butanone oxime (96-29-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
methanol(67-56-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate substance with national workplace exposure limit(s) (GB)	CAS-No. 1317-65-3 EC-No. 215-279-6	40 – 60	Not classified
Silica substance with national workplace exposure limit(s) (GB)	CAS-No. 7631-86-9 EC-No. 231-545-4 REACH-no 01-2119379499-16	3 – 5	Not classified
Methyltris(1-methylpropylideneaminoxy)silane	CAS-No. 22984-54-9 EC-No. 245-366-4 REACH-no 01-2119970560-38	1 – 3	Skin Sens. 1B, H317 STOT RE 2, H373 Eye Irrit. 2, H319
Vinyltris(methylethylketoxime)silane	CAS-No. 2224-33-1 EC-No. 218-747-8 REACH-no 01-2119987099-18	0 – 1	Skin Sens. 1B, H317 STOT RE 2, H373 Eye Dam. 1, H318
Butanone oxime	CAS-No. 96-29-7 EC-No. 202-496-6 EC Index-No. 616-014-00-0 REACH-no 01-2119539477-28	0 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1B, H350 STOT SE 1, H370 STOT SE 3, H336 STOT RE 2, H373
methanol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No. 67-56-1 EC-No. 200-659-6 EC Index-No. 603-001-00-X	0 – 1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
methanol	CAS-No. 67-56-1 EC-No. 200-659-6 EC Index-No. 603-001-00-X	( 3 ≤ C < 10) STOT SE 2, H371 ( 10 ≤ C ≤ 100) STOT SE 1, H370

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

### SECTION 4 First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off contaminated clothing. Wash contaminated clothing before reuse.
First-aid measures after eye contact	Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	May cause an allergic skin reaction.
Symptoms/effects after skin contact	May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5 Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing spray, vapours. Evacuate unnecessary personnel.
----------------------	--

##### 6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information	The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.
------------------------	--

Calcium carbonate (1317-65-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Silica (7631-86-9)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	6 mg/m <sup>3</sup> 2.4 mg/m <sup>3</sup>
methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m <sup>3</sup>
IOEL TWA [ppm]	200 ppm

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
Local name	Methanol
WEL TWA (OEL TWA) [1]	266 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	333 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	250 ppm
Remark	Sk
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment

Gloves. Protective clothing. Protective goggles. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

##### Eye protection

Chemical goggles or safety glasses

##### Eye protection:

Type	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

#### 8.2.2.2. Skin protection

##### Skin and body protection

Wear suitable protective clothing

##### Hand protection

Protective gloves. Wear protective gloves.

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. In order to avoid inhalation of mist/vapour, all spraying must be done wearing adequate respirator. Wear appropriate mask

Device	Filter type	Condition	Standard
	Type A - High-boiling (>65 °C) organic compounds		

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls

Avoid release to the environment.

#### Other information

Do not eat, drink or smoke during use.

No additional information available

## SECTION 9 Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	white.
Appearance	Pasty.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	> 35 °C
Flammability	≈ 435 °C
	Not applicable, Non flammable.
Explosive properties	Product is not explosive.
Explosive limits	Not available
Lower explosive limit (LEL)	Not available
Upper explosive limit (UEL)	Not available
Flash point	> 93 °C Not applicable.
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	Not applicable.
Viscosity, kinematic	Not available
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	1.3 g/cm <sup>3</sup>
Relative density	Not available
Relative vapour density at 20 °C	Not available
Particle size	Not applicable
Particle size distribution	Not applicable

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle shape	Not applicable
Particle aspect ratio	Not applicable
Particle aggregation state	Not applicable
Particle agglomeration state	Not applicable
Particle specific surface area	Not applicable
Particle dustiness	Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Not established.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

## SECTION 11 Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

<b>Calcium carbonate (1317-65-3)</b>	
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)
ATE CLP (oral)	6450 mg/kg bodyweight
<b>Silica (7631-86-9)</b>	
LD50 oral rat	> 10000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male, Experimental value, Oral)
LD50 dermal rat	> 2009 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
<b>Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)</b>	
LD50 oral rat	2463 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE CLP (oral)	2463 mg/kg bodyweight



# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Butanone oxime (96-29-7)</b>	
LD50 oral rat	2326 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral)
LD50 dermal rabbit	> 1000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.83 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight

<b>methanol (67-56-1)</b>	
ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation	Not classified pH Not applicable.
Additional information	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Not classified pH Not applicable.
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	May cause cancer.

<b>Silica (7631-86-9)</b>	
IARC group	3 - Not classifiable

Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met

<b>Butanone oxime (96-29-7)</b>	
STOT-single exposure	Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness.

<b>methanol (67-56-1)</b>	
STOT-single exposure	Causes damage to organs.

STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met

<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).

<b>Methyltris(1-methylpropylideneaminoxysilane (22984-54-9)</b>	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).

<b>Butanone oxime (96-29-7)</b>	
STOT-repeated exposure	May cause damage to organs (blood) through prolonged or repeated exposure.

Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12 Ecological information

#### 12.1. Toxicity

Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified

<b>Calcium carbonate (1317-65-3)</b>	
LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature study)
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature study)
EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature study)

<b>Silica (7631-86-9)</b>	
LC50 - Fish [1]	10000 mg/l (96 h, Brachydanio rerio, Literature)
EC50 - Crustacea [1]	10000 mg/l (24 h, Daphnia magna, Literature)
EC50 72h - Algae [1]	440 mg/l (Selenastrum capricornutum, Literature study, Growth rate)

<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
LC50 - Fish [1]	843 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	16 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

<b>Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)</b>	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Read-across, GLP)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)
ErC50 algae	16 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

<b>Butanone oxime (96-29-7)</b>	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	201 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	11.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Nominal concentration)

<b>methanol (67-56-1)</b>	
LC50 - Fish [1]	10800 mg/l (96 h, Salmo gairdneri, Other isotope)
EC50 - Crustacea [1]	24500 mg/l (48 h, Daphnia magna, Other isotope)
EC50 72h - Algae [1]	8000 mg/l (Algae, Other isotope)

#### 12.2. Persistence and degradability

<b>CFS-SP SIL</b>	
Persistence and degradability	Not established.

<b>Calcium carbonate (1317-65-3)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

<b>Silica (7631-86-9)</b>	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
Persistence and degradability	Not readily biodegradable in water.

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)</b>	
Persistence and degradability	Not readily biodegradable in water.
<b>Butanone oxime (96-29-7)</b>	
Persistence and degradability	Not readily biodegradable in water. Inherently biodegradable.
<b>methanol (67-56-1)</b>	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 – 1.1 g O <sub>2</sub> /g substance
ThOD	1.5 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.4 – 0.73

### 12.3. Bioaccumulative potential

<b>CFS-SP SIL</b>	
Bioaccumulative potential	Not established.
<b>Calcium carbonate (1317-65-3)</b>	
Bioaccumulative potential	Bioaccumulation: not applicable.
<b>Silica (7631-86-9)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
BCF - Fish [1]	0.5 – 0.6 (Other, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	10.19 (Calculated, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)</b>	
BCF - Fish [1]	0.5 – 5.8 (6 week(s), Cyprinus carpio, Flow-through system, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	0.36 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>Butanone oxime (96-29-7)</b>	
BCF - Fish [1]	0.5 – 5.8 (OECD 305: Bioconcentration: Flow-Through Fish Test, 42 day(s), Cyprinus carpio, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	0.63 (Experimental value, Equivalent or similar to OECD 117)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
<b>methanol (67-56-1)</b>	
BCF - Fish [1]	< 10 (Leuciscus idus, Other isotope)
Partition coefficient n-octanol/water (Log Pow)	-0.82 – -0.66
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

<b>Calcium carbonate (1317-65-3)</b>	
Ecology - soil	No (test)data on mobility of the substance available.
<b>Silica (7631-86-9)</b>	
Ecology - soil	No (test)data on mobility of the substance available.
<b>Vinyltris(methylethylketoxime)silane (2224-33-1)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.773 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Adsorbs into the soil.
<b>Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.481 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Adsorbs into the soil.
<b>Butanone oxime (96-29-7)</b>	
Surface tension	30.29 mN/m (16 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.55 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

Component	
Calcium carbonate (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Silica (7631-86-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Methyltris(1-methylpropylideneaminoxy)silane (22984-54-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Vinyltris(methylethylketoxime)silane (2224-33-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butanone oxime (96-29-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information

Avoid release to the environment.

## SECTION 13 Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials

Avoid release to the environment.

European List of Waste (LoW) code

08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special precautions for user

**Overland transport**

Not applicable

**Transport by sea**

Not applicable

**Air transport**

Not applicable

**Rail transport**

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15 Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
28.	CFS-SP SIL

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Restricted to professional users

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16 Other information

**Indication of changes:**

Section	Changed item	Change	Comments
			general update
2		Modified	
3		Modified	

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3

# CFS-SP SIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Carc. 1B	H350	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.