

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 10/01/2022 Revision date: 10/01/2022 Supersedes version of: 09/01/2019

SECTION 1 Identification of the substance/mixture and of the company/undertaking

Version: 2.2

#### 1.1. Product identifier Product form Mixture Generic name HVU2 M8 - M30 Product code **BU** Anchor 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture Adhesive anchor capsule for anchor fastening in concrete 1.2.2. Uses advised against Restrictions on use For professional use only 1.3. Details of the supplier of the safety data sheet Supplier Department issuing data specification sheet Hilti (Gt. Britain) Ltd. Hilti Entwicklungsgesellschaft mbH 1 Circle Square Hiltistraße 6 86916 Kaufering - Deutschland 3 Symphony Park T +49 8191 906876 M1 7FS Manchester - Great Britain T +44 161 886 1000 anchor.hse@hilti.com 0800 886 100 Toll-free - F +44 161 872 1240 gbsales@hilti.com

### **1.4. Emergency telephone number**

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international) +44 161 886 1000 0800 886 100 Toll-free

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS Direct (England and Wales)		111	
	NHS 24 (Scotland)		or contact a doctor	

# **SECTION 2 Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 1B	H360D
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Signal word (CLP)	Danger
Contains	dibenzoyl peroxide, dicyclohexyl phthalate, 2-Propenoic acid, 2-methyl-, monoester with
	1,2-propanediol, 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester
Hazard statements (CLP)	H317 - May cause an allergic skin reaction.
	H360D - May damage the unborn child.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P280 - Wear eye protection, protective clothing, protective gloves.
	P262 - Do not get in eyes, on skin, or on clothing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Extra phrases	Restricted to professional users.
UFI	726R-6A8S-N515-1J2U

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component		
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
propanediol (27813-02-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
(2082-81-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
dicyclohexyl phthalate (84-61-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having
	endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester(2082-81-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component		
dicyclohexyl phthalate(84-61-7)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

# **SECTION 3 Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures Name Product identifier % Classification according to Regulation (EC) No. 1272/2008 [CLP] 2-Propenoic acid, 2-methyl-, monoester with 1,2-CAS-No. 27813-02-1 4 - < 8 Eye Irrit. 2, H319 propanediol EC-No. 248-666-3 Skin Sens. 1, H317 EC Index-No. 607-125-00-5 REACH-no 01-2119490226-37 2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester CAS-No. 2082-81-7 3 – 5 Skin Sens. 1B, H317 EC-No. 218-218-1 REACH-no 01-2119967415-30 CAS-No. 94-36-0 0.5 - < 1.5 Org. Perox. B, H241 dibenzoyl peroxide substance with national workplace exposure limit(s) Eye Irrit. 2, H319 EC-No. 202-327-6 (GB) EC Index-No. 617-008-00-0 Skin Sens. 1, H317 REACH-no 01-2119511472-Aquatic Acute 1, H400 (M=10) 50 Aquatic Chronic 1, H410 (M=10) CAS-No. 84-61-7 1 - 3Skin Sens. 1, H317 dicyclohexyl phthalate substance listed as REACH Candidate (Dicyclohexyl EC-No. 201-545-9 Repr. 1B, H360D phthalate (DCHP)) Aquatic Chronic 3, H412 substance with national workplace exposure limit(s) (GB); substance identified as having endocrine disrupting properties CAS-No. 38668-48-3 < 0.5 Acute Tox. 2 (Oral), H300 1,1'-(p-tolylimino)dipropan-2-ol EC-No. 254-075-1 Eye Irrit. 2, H319 REACH-no 01-2119980937-Aquatic Chronic 3, H412 17

Full text of H- and EUH-statements: see section 16

# SECTION 4 First aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an
	unconscious person. If you feel unwell, seek medical advice (show the label where
	possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to
	breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or
	rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.
	Continue rinsing. Obtain medical attention if pain, blinking or redness persists.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, k	both acute and delayed	
Symptoms/effects after skin contact	May cause an allergic skin reaction.	
Symptoms/effects after eye contact	May cause severe irritation.	
4.3. Indication of any immediate medical atte	ention and special treatment needed	
No additional information available		
SECTION 5 Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.	
Unsuitable extinguishing media	Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.	
5.3. Advice for firefighters		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective	

SECTION 6 Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Spilled material may present a slipping hazard.	
6.1.1. For non-emergency personnel		
Emergency procedures	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		

equipment, including respiratory protection.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

For containment Collect spillage.	
Methods for cleaning up This material and its container must be disposed of in a safe	way, and as per local
legislation. Mechanically recover the product. Store away fro	m other materials.
Other information Dispose of materials or solid residues at an authorized site.	

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# **SECTION 7 Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	Keep cool. Protect from sunlight. Expiry date: See date printed on box and capsule. Do not use if expiry date has been exceeded!.
Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Storage temperature	-20 – 25 °C
Heat and ignition sources	Keep away from heat and direct sunlight.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

HVU2 M8 - M30		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
dibenzoyl peroxide (94-36-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Dibenzoyl peroxide	
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
dicyclohexyl phthalate (84-61-7)		
United Kingdom - Occupational Exposure Limits		
Local name	Dicyclohexyl phthalate	
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

### **8.1.5. Control banding** No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls

Ensure adequate ventilation.

## 8.2.2. Personal protection equipment

## Personal protective equipment

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Personal protective equipment symbol(s)



#### 8.2.2.1. Eye and face protection

#### Eye protection

Wear security glasses which protect from splashes

#### Eye protection:

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

#### 8.2.2.2. Skin protection

## Skin and body protection

Wear suitable protective clothing

#### Hand protection

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls**

Avoid release to the environment.

#### **Consumer exposure controls**

Avoid contact during pregnancy/while nursing.

#### Other information

Do not eat, drink or smoke during use.

No additional information available

# **SECTION 9** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	resin: yellowish liquid
	hardener: white powder.
Appearance	Pasty. foil capsule.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Not available Not applicable Not applicable Not applicable

Not applicable Not available 55 °C (Peroxide) Not available Not available 20 mm<sup>2</sup>/s (ISO 2431) insoluble in water. Not available 0.1 hPa Not available 2.95 g/cm<sup>3</sup> Not available Not applicable Not available Not available

> 101 °C (DIN EN ISO 1523)

### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

# No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### **10.5. Incompatible materials**

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 44 Towissiani inform	ction
SECTION 11 Toxicological information on hazard classes as de	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
dicyclohexyl phthalate (84-61-7)	
LD50 oral rat	41400 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
ATE CLP (oral)	41400 mg/kg bodyweight
2-Propenoic acid, 2-methyl-, monoester with	
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg
	bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl e	ster (2082-81-7)
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
ATE CLP (oral)	10066 mg/kg bodyweight
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	25 mg/kg bodyweight
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
dibenzoyl peroxide (94-36-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	May damage the unborn child.
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
HVU2 M8 - M30	
Viscosity, kinematic	20 mm²/s (ISO 2431)
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information	
Potential adverse human health effects and	No additional information available

SECTION 12 Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects.
dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

symptoms



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dibenzoyl peroxide (94-36-0)	
ErC50 algae	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella
	subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l
dicyclohexyl phthalate (84-61-7)	
LC50 - Fish [1]	> 10000 mg/l (96 h; Brachydanio rerio; Static system)
LC50 - Other aquatic organisms [1]	1.04 mg/l
NOEC (acute)	> 2 mg/l
NOEC chronic crustacea	0.181 mg/l
2-Propenoic acid, 2-methyl-, monoester with	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella
	subcapitata, Static system, Fresh water, Experimental value, GLP)
Threshold limit - Algae [1]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl	ester (2082-81-7)
LC50 - Other aquatic organisms [1]	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28.8 mg/l
NOEC (acute)	57.8 mg/l
2.2. Persistence and degradability	
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in
	the environment.
dicyclohexyl phthalate (84-61-7)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water.

ThOD	2.376 g O <sub>2</sub> /g substance	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
Persistence and degradability	Readily biodegradable in water.	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)		
Biodegradation	84 %	

# 12.3. Bioaccumulative potential

dibenzoyl peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Pow)	3.71	
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).	
dicyclohexyl phthalate (84-61-7)		
BCF - Fish [1]	640 (Pisces)	
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
BCF - Fish [1]	≤ 100	
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)	
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)	
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).	
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)		
Partition coefficient n-octanol/water (Log Pow)	3.1	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
Partition coefficient n-octanol/water (Log Kow)	2.1	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil		
dibenzoyl peroxide (94-36-0)		
Surface tension	No data available (test not performed)	
Organic Carbon Normalized Adsorption Coefficient	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on	
(Log Koc)	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental	
	value)	
Ecology - soil	Low potential for mobility in soil.	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
Organic Carbon Normalized Adsorption Coefficient	1.9 (log Koc, Calculated value)	
(Log Koc)		
Ecology - soil	Highly mobile in soil.	

## 12.5. Results of PBT and vPvB assessment

HVU2 M8 - M30	
This substance/mixture does not meet the PBT criter	ia of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB crite	ria of REACH regulation, annex XIII
Component	
2-Propenoic acid, 2-methyl-, monoester with 1,2-	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
propanediol (27813-02-1)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
(2082-81-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
dicyclohexyl phthalate (84-61-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# **SECTION 13 Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) Product/Packaging disposal recommendations	Disposal must be done according to official regulations. After curing, the product can be disposed of with household waste Full or only partially
	emptied cartridges must be disposed of as special waste in accordance with official
	regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transport information In accordance with ADR / IMDG / IATA / RID			
ADR IMDG		ΙΑΤΑ	RID
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR IMDG		ΙΑΤΑ	RID	
14.2. UN proper shipping name		1		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	
Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-) UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, MARINE POLLUTANT		UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III	
14.3. Transport hazard class(es)				
9	9	9	9	
14.4. Packing group	I			
III III			111	
14.5. Environmental hazards				
Dangerous for the environment: Dangerous for the environment:   Yes Yes   Marine pollutant: Yes		Dangerous for the environment: Yes	Dangerous for the environment: Yes	
not restricted according ADR Specia	al Provision SP375, IATA-DGR Speci	al Provision A197 and IMDG-Code 2.7	10.2.7	

### **Overland transport**

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	: MP10
Transport category (ADR)	: 3
Orange plates	90 3077
Tunnel restriction code (ADR)	:
EAC code	: 2Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Packing instructions (IMDG)	: LP02, P002
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Air transport	
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
Special provisions (IATA)	: A97, A158, A179, A197, A215
Rail transport	
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5kg
Packing instructions (RID)	: P002, IBC08, LP02, R001

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15 Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Dicyclohexyl phthalate (DCHP) (EC 201-

545-9, CAS 84-61-7)

Contains no REACH Annex XIV substances

Restricted to professional users

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16 Other information**

#### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format according to COMMISSION	Modified	
	REGULATION (EU) 2020/878		
3	Composition/information on ingredients	Modified	
14	Transport information	Added	

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations an	nd acronyms	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Other information

None.

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H241	Heating may cause a fire or explosion.	
H300	Fatal if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H360D	May damage the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Org. Perox. B	Organic Peroxides, Type B	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Skin Sens. 1	H317	Calculation method
Repr. 1B	H360D	Expert judgment
Aquatic Chronic 2	H411	Calculation method

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.