

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name:** GLEITMO WSP 5000

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer / Supplier** FUCHS LUBRICANTS GERMANY GmbH  
Friesenheimer Str. 19  
68169 Mannheim  
Telephone: +49 621 3701-0 (ZENTRALE)  
Fax: +49 621 3701-570

#### Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com  
Industrial lubricants  
Telephone: +49 621 3701-0 (ZENTRALE)

#### Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

**1.4 Emergency telephone number:** +49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

#### Classification according to GB-CLP.

##### Health Hazards

Serious eye damage Category 1 H318: Causes serious eye damage.

##### Environmental Hazards

Chronic hazards to the aquatic environment Category 3 H412: Harmful to aquatic life with long lasting effects.

**Product name:** GLEITMO WSP 5000

---

## Hazard summary

**Physical Hazards:** No data available.

## 2.2 Label Elements

**Contains:** Ca-sulfonate  
Lime hydrate



**Signal Words:** Danger

**Hazard Statement(s):** H318: Causes serious eye damage.  
H412: Harmful to aquatic life with long lasting effects.

## Precautionary Statements

**Prevention:** P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/ physician.

**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

## Supplemental label information

EUH208: Contains: Calcium Sulfonate, Calcium Sulfonate, Ca Sulfonate.  
May produce an allergic reaction.

**2.3 Other hazards:** The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**General information:** Mixture of the substances listed below with harmless additions.

**Product name:** GLEITMO WSP 5000

Chemical name	Identifier	Concentration *	UK-REACH Registration No.	Notes
Calcium Sulfonate	EINECS: 271-529-4	1,00% - <5,00%		
Ca-sulfonate	EINECS: 932-231-6	3,00% - <5,00%		
Lime hydrate	EINECS: 215-137-3	1,00% - <3,00%		
Triazine derivative	EINECS: 253-575-7	1,00% - <3,00%		
Zinc borate	EINECS: 235-804-2	1,00% - <2,50%		
Calcium Sulfonate	EINECS: 263-093-9	1,00% - <5,00%		
Ca Sulfonate	EINECS: 274-263-7	1,00% - <5,00%		
Na-Sebacat	EINECS: 241-300-3	1,00% - <5,00%		
Triaryl phosphate, alkylated	EC: 700-990-0	0,10% - <1,00%		
inorganic Zink salt	EINECS: 231-203-4	0,25% - <1,00%		
phenolic antioxidant	EINECS: 204-881-4	0,25% - <1,00%		
Amine aromatic , alkylated	EINECS: 270-128-1	0,10% - <1,00%		
Zn compound	EINECS: 215-222-5	0,10% - <0,25%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Classification**

Chemical name	Identifier	Classification
Calcium Sulfonate	EINECS: 271-529-4	GBCLP: Skin Sens. 1B;H317
Ca-sulfonate	EINECS: 932-231-6	GBCLP: Eye Dam. 1;H318, Skin Irrit. 2;H315, Aquatic Chronic 3;H412
Lime hydrate	EINECS: 215-137-3	GBCLP: Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315
Triazine derivative	EINECS: 253-575-7	GBCLP: , STOT RE 2;H373, Repr. 2;H361f
Zinc borate	EINECS: 235-804-2	GBCLP: Repr. 2;H361d, Aquatic Acute 1;H400, Aquatic Chronic 2;H411
Calcium Sulfonate	EINECS: 263-093-9	GBCLP: Skin Sens. 1B;H317
Ca Sulfonate	EINECS: 274-263-7	GBCLP: Skin Sens. 1B;H317
Na-Sebacat	EINECS: 241-300-3	GBCLP: Eye Irrit. 2;H319
Triaryl phosphate, alkylated	EC: 700-990-0	GBCLP: Aquatic Acute 1;H400, Aquatic Chronic 2;H411; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
inorganic Zink salt	EINECS: 231-203-4	GBCLP: Aquatic Chronic 1;H410, Aquatic Acute 1;H400
phenolic antioxidant	EINECS: 204-881-4	GBCLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1
Amine aromatic , alkylated	EINECS: 270-128-1	GBCLP: Repr. 2;H361f, Aquatic Chronic 3;H412
Zn compound	EINECS: 215-222-5	GBCLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1

GB-CLP

**Product name:** GLEITMO WSP 5000

**specific concentration limit**

Chemical name	Identifier	specific concentration limit	Hazard class	Hazard Category	Hazard statements
Calcium Sulfonate	EINECS: 271-529-4	>= 10 %	Skin sensitizer	1B	H317
Calcium Sulfonate	EINECS: 263-093-9	>= 10 %	Skin sensitizer	1B	H317
Ca Sulfonate	EINECS: 274-263-7	>= 10 %	Skin sensitizer	1B	H317

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation GB-CLP.

**SECTION 4: First aid measures**

**General:** Instantly remove any clothing soiled by the product.

**4.1 Description of first aid measures**

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** Risk of serious damage to eyes.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing media:** CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

**5.3 Advice for firefighters**

**Product name:** GLEITMO WSP 5000

<b>Special fire-fighting procedures:</b>	No data available.
<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

<b>6.1 Personal precautions, protective equipment and emergency procedures:</b>	In case of spills, beware of slippery floors and surfaces.
<b>6.2 Environmental Precautions:</b>	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.
<b>6.3 Methods and material for containment and cleaning up:</b>	Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.
<b>6.4 Reference to other sections:</b>	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

## SECTION 7: Handling and storage:

<b>7.1 Precautions for safe handling:</b>	Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.
<b>7.2 Conditions for safe storage, including any incompatibilities:</b>	Local regulations concerning handling and storage of waterpolluting products have to be followed.
<b>7.3 Specific end use(s):</b>	Not applicable
<b>Storage Class:</b>	11, Combustible solids

## SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

#### Occupational Exposure Limits

None of the components have assigned exposure limits.

### 8.2 Exposure controls

#### Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Product name:** GLEITMO WSP 5000

<b>General information:</b>	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.
<b>Eye/face protection:</b>	Wear eye protection/face protection. Avoid contact with skin and eyes.
<b>Skin protection</b>	
<b>Hand Protection:</b>	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm  Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
<b>Other:</b>	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
<b>Respiratory Protection:</b>	Not relevant, due to the form of the product.
<b>Thermal hazards:</b>	Not known.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
<b>Environmental Controls:</b>	No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Light brown
<b>Odor:</b>	Characteristic
<b>pH:</b>	substance/mixture is non-soluble (in water)
<b>Drop Point:</b>	not determined
<b>Boiling Point:</b>	not determined
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	not determined
<b>Flammability Limit - Upper (%)-:</b>	Not applicable for mixtures
<b>Flammability Limit - Lower (%)-:</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Relative vapor density:</b>	Not applicable for mixtures

**Product name:** GLEITMO WSP 5000

<b>Density:</b>	1,10 g/cm <sup>3</sup> (15 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Auto-ignition temperature:</b>	not determined
<b>Decomposition Temperature:</b>	not determined
<b>NLGI:</b>	2
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>Particle characteristics:</b>	Study technically not feasible
<b>9.2 Other information</b>	No data available.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity:</b>	Stable under normal temperature conditions and recommended use.
<b>10.2 Chemical Stability:</b>	No data available.
<b>10.3 Possibility of hazardous reactions:</b>	None under normal conditions.
<b>10.4 Conditions to avoid:</b>	Avoid heat or contamination.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

**SECTION 11: Toxicological information**

**Information on likely routes of exposure**

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	Causes serious eye damage.

**11.1 Information on toxicological effects**

**Acute toxicity**

**Oral**

<b>Product:</b>	Not classified for acute toxicity based on available data.
-----------------	--

**Product name:** GLEITMO WSP 5000

---

**Specified substance(s)**

Calcium Sulfonate	LD 50 (Rat): > 5.001 mg/kg
Lime hydrate	LD 50 (Rat): 7.340 mg/kg
Triazine derivative	LD 50 (Rat): 2.500 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16.000 mg/kg
Ca Sulfonate	LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Triaryl phosphate, alkylated	LD 50 (Rat): > 5.001 mg/kg
phenolic antioxidant	LD 50 (Rat): > 2.930 mg/kg (OECD 401)
Amine aromatic , alkylated	LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Zn compound	LD 50 (Rat): > 15.000 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s)**

Calcium Sulfonate	LD 50 (Rabbit): > 5.001 mg/kg
Triazine derivative	LD 50 (Rat): 5.520 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 5.001 mg/kg
Ca Sulfonate	LD 50 (Rabbit): > 5.000 mg/kg (OECD 402)
phenolic antioxidant	LD 50 (Rat): > 5.000 mg/kg (OECD 402)

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s)**

Zn compound	LC 50 (Rat, 4 h): 5,7 mg/l
-------------	----------------------------

**Skin Corrosion/Irritation:**

**Product:** Based on available data, the classification criteria are not met.

**Specified substance(s)**

Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Ca-sulfonate	OECD 404 Slightly irritating.
Calcium Sulfonate	OECD 404 (Rabbit): Not irritant.
Ca Sulfonate	OECD 404 (Rabbit): Not irritant.



**Product name:** GLEITMO WSP 5000

---

**Serious Eye Damage/Eye Irritation:**

**Product:** Based on available data, the classification criteria are met.

**Specified substance(s)**

Calcium Sulfonate      OECD 405 (Rabbit):  
Not irritant.

Ca-sulfonate      OECD 405  
May cause burns.

Amine aromatic , alkylat-  
ed      OECD 405 (Rabbit):  
Not irritant.

**Respiratory or Skin Sensitization:**

**Product:** Skin sensitizer: Based on available data, the classification criteria are not met.  
Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Specified substance(s)**

Calcium Sulfonate      May cause sensitization by skin contact.

Ca-sulfonate      , OECD 406-1 (Guinea Pig)  
Based on available data, the classification criteria are not met.

Calcium Sulfonate      May cause sensitization by skin contact.

Ca Sulfonate      May cause sensitization by skin contact.

phenolic antioxidant      No sensitizing effect (guinea pig); OECD 406

Amine aromatic , alkylat-  
ed      No sensitizing effect (guinea pig); OECD 406

**Germ Cell Mutagenicity**

**Product:** Based on available data, the classification criteria are not met.

**In vitro**

**Specified substance(s)**

Ca-sulfonate      (OECD 471)  
Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:** Based on available data, the classification criteria are not met.

**Reproductive toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Specified substance(s)**

Amine aromatic , alkylat-  
ed      oral (Rat, OECD 421), Suspected of damaging fertility.

**Product name:** GLEITMO WSP 5000

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

**Other adverse effects:** No data available.

**SECTION 12: Ecological information**

**General information:** Not applicable Not applicable

**12.1 Toxicity**

**Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

Calcium Sulfonate LL 50 (Cyprinodon variegatus, 96 h): > 10.000 mg/l (OECD 203)

Ca-sulfonate LL 50 (Fish, 96 h): > 1 mg/l (OECD 203)  
LL 50 (Fish, 96 h): < 10 mg/l (OECD 203)

Lime hydrate LC 50 (Fish, 96 h): 50,6 mg/l (OECD 203)

Triazine derivative LC 50 (Fish, 96 h): > 100 mg/l

Calcium Sulfonate LC 50 (Fish, 96 h): > 10.000 mg/l (OECD 203)

Ca Sulfonate LC 50 (Fish, 96 h): > 1.001 mg/l (OECD 203)

Na-Sebacat LC 50 (Fish, 96 h): > 101 mg/l

Triaryl phosphate, alkylated LC 50 (Fish, 96 h): 0,8 mg/l

Amine aromatic , alkylated LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

**Aquatic Invertebrates**

**Specified substance(s)**

Calcium Sulfonate EL50 (Daphnia magna, 48 h): > 1.000 mg/l

Ca-sulfonate LL 50 (Water Flea, 48 h): 2,9 mg/l (OECD 202)

Lime hydrate EC 50 (Water Flea, 48 h): 49,1 mg/l (OECD 202)

Triazine derivative EC 50 (Water Flea): > 100 mg/l

Calcium Sulfonate EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)

**Product name:** GLEITMO WSP 5000

---

Ca Sulfonate	EC 50 (Water Flea, 48 h): > 1.001 mg/l
Triaryl phosphate, alkylated	EC 50 (Water Flea, 48 h): 0,202 mg/l
inorganic Zink salt	EC 50 (Water Flea, 48 h): 26 mg/l
phenolic antioxidant	EC 50 (Water Flea, 48 h): 0,61 mg/l (OECD 202)
Amine aromatic , alkylated	EC 50 (Daphnia magna): 51 mg/l (OECD 202)
Zn compound	EC 50 (Water Flea, 48 h): 2,2 mg/l

**Chronic Toxicity**

**Product:** Based on available data, the classification criteria are met.

**Fish**

**Specified substance(s)**

Triaryl phosphate, alkylated NOEC (Fish, 90 d): 0,093 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

Triaryl phosphate, alkylated NOEC (Water Flea, 21 d): 0,0399 mg/l

phenolic antioxidant NOEC (Water Flea, 21 d): > 0,39 mg/l

**Toxicity to Aquatic Plants**

**Specified substance(s)**

Calcium Sulfonate EL50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 1.000 mg/l

Ca-sulfonate EC 50 (Alga, 96 h): 29 mg/l

Lime hydrate EC 50 (Alga, 72 h): 184,57 mg/l

Ca Sulfonate EC 50 (Alga, 72 h): > 1.000 mg/l

Triaryl phosphate, alkylated EC 50 (Alga, 72 h): 1,4 mg/l  
NOEC (Alga, 72 h): 0,05 mg/l

Amine aromatic , alkylated EC 50 (72 h): > 100 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 0,17 mg/l

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** Not applicable for mixtures

**Product name:** GLEITMO WSP 5000

<b>Specified substance(s)</b>	
Ca-sulfonate	(OECD 301B) Readily biodegradable
Calcium Sulfonate	8,6 % (28 d) Not easily biodegradable
Triaryl phosphate, alkylated	61 % (28 d) Readily biodegradable
phenolic antioxidant	30 % (OECD 302C) Not readily degradable.
Amine aromatic , alkylated	Not readily degradable.

**12.3 Bioaccumulative potential**

<b>Product:</b>	Not applicable for mixtures
<b>Specified substance(s)</b>	
phenolic antioxidant	May be accumulated in organism

**12.4 Mobility in soil:**

<b>Product:</b>	Not applicable for mixtures
-----------------	-----------------------------

**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

Harmful to aquatic life with long lasting effects.

**Water Hazard Class (WGK):**

WGK 2: significantly water-endangering.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

<b>General information:</b>	Dispose in accordance with all applicable regulations.
<b>Disposal methods:</b>	Discharge, treatment, or disposal may be subject to national, state, or local laws.

**SECTION 14: Transport information**

**ADR/RID**

14.1 UN number or ID number:	—
14.2 UN Proper Shipping Name:	—
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	—
Hazard No. (ADR):	—
Tunnel restriction code:	—
14.4 Packing Group:	—
14.5 Environmental hazards:	—
14.6 Special precautions for user:	—

**Product name:** GLEITMO WSP 5000

---

## IMDG

- 14.1 UN number or ID number: –
- 14.2 UN Proper Shipping Name: –
- 14.3 Transport Hazard Class(es)
  - Class: Non-dangerous goods
  - Label(s): –
  - EmS No.: –
- 14.3 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

## IATA

- 14.1 UN number or ID number: –
- 14.2 Proper Shipping Name: –
- 14.3 Transport Hazard Class(es):
  - Class: Non-dangerous goods
  - Label(s): –
- 14.4 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Not applicable.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

### GB Regulations

**The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:**  
none

**The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:**  
none

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

### DIRECTIVE Control of Major Accident Hazards Regulations 2015:

The product does not fall into the scope of the Control of Major Accident Hazards Regulations 2015.

## SECTION 16: Other information

**Revision Information:** Vertical lines in the margin indicate an amendment.

**Product name:** GLEITMO WSP 5000

---

**Wording of the H-statements in section 2 and 3**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Training information:** Follow training instructions when handling this material.

**Other information:** The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

**Revision Date:** 20.07.2023

**Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.