

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: GLEITMO 2465 V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS GERMANY GmbH

Friesenheimer Str. 19 68169 Mannheim

Telephone: +49 621 3701-0 (ZENTRALE)

Fax: +49 621 3701-570

Contact for request of safety data sheets

E-mail: Automotive lubricants CS.Services-FLG@fuchs.com

Industrial lubricants

Telephone: +49 621 3701-0 (ZENTRALE)

Informing department for safety data sheets

E-mail: produktsicherheit-FLG@fuchs.com

1.4 Emergency telephone number: +49 621 3701-0 (Mo - Fr 08:00 - 16:00 Uhr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

Classification according to GB-CLP.

Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

Environmental Hazards

Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting

environment effects.

Issue Date: 15.01.2015
Revision Date: 04.12.2023

Version: 5.0

Print date: 06.08.2024 SDS_GB - EN - CP1000444



Product name: GLEITMO 2465 V

Hazard summary Physical Hazards:

No data available.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/ container to an approved facility in accord-

ance with local, regional, national and international regulations.

2.3 Other hazards: By handling of chemical products no particular hazard is known when nor-

mal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
Triaryl phosphate, alkyladed	EC: 700-990-0	5,00% - <10,00%		
Lime hydrate	EINECS: 215-137-3	1,00% - <3,00%		
Zinc borate	EINECS: 235-804-2	1,00% - <3,00%		
Ester derivative	EINECS: 203-572-1	1,00% - <5,00%		
Triazine derivative	EINECS: 253-575-7	1,00% - <3,00%		
inorganic Zink salt	EINECS: 231-203-4	0,25% - <1,00%		
Zn compound	EINECS: 215-222-5	0,10% - <0,25%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Issue Date: 15.01.2015
Revision Date: 04.12.2023

Version: 5.0

Print date: 06.08.2024 SDS_GB - EN - CP1000444

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: GLEITMO 2465 V

Classification

Chemical name	Identifier	Classification	
Triaryl phosphate, alkyladed	EC: 700-990-0	GBCLP: , Aquatic Chronic 2;H411	
Lime hydrate	EINECS: 215-137-3	GBCLP: Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315	
Zinc borate	EINECS: 235-804-2	GBCLP: Repr. 2;H361d, Aquatic Acute 1;H400, Aquatic Chronic 2;H411	
Ester derivative	EINECS: 203-572-1	GBCLP: Eye Irrit. 2;H319	
Triazine derivative	EINECS: 253-575-7	GBCLP: , STOT RE 2;H373, Repr. 2;H361f	
inorganic Zink salt	EINECS: 231-203-4	GBCLP: Aquatic Chronic 1;H410, Aquatic Acute 1;H400	
Zn compound	EINECS: 215-222-5	GBCLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1	

GB-CLP

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

ed

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

ture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Issue Date: 15.01.2015 Revision Date: 04.12.2023 Print date: 06.08.2024 SDS_GB - EN - CP1000444



Product name: GLEITMO 2465 V

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk. Absorb with liquid-binding material (sand, diatomite, acid-

binders, universal binders, sawdust).

6.4 Reference to other sec-

tions:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe

good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibili-

ties:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash

point.

7.3 Specific end use(s): Not applicable

Storage Class: 11, Combustible solids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Issue Date: 15.01.2015 Revision Date: 04.12.2023 Print date: 06.08.2024 SDS_GB - EN - CP1000444



Product name: GLEITMO 2465 V

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: Light brown
Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Drop Point: not determined **Boiling Point:** No data available.

Issue Date: 15.01.2015 Revision Date: 04.12.2023

Print date: 06.08.2024 SDS_GB - EN - CP1000444

5/11



Product name: GLEITMO 2465 V

Flash Point: Not applicable

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): not determined

Explosion Limit - Upper (%):

Not applicable for mixtures

Density: 1,10 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature:not determinedDecomposition Temperature:not determined

NLGI:

Explosive properties: Value not relevant for classification

Oxidizing properties: Value not relevant for classification

Particle characteristics: Study technically not feasible

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Thermal d

Products:

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Issue Date: 15.01.2015 Revision Date: 04.12.2023 Print date: 06.08.2024 SDS GB - EN - CP1000444



Product name: GLEITMO 2465 V

Specified substance(s)

Triaryl phosphate, al-

kyladed

LD 50 (Rat): > 5.000 mg/kg

Lime hydrate LD 50 (Rat): 7.340 mg/kg

Ester derivative LD 50 (Rat): 33.520 mg/kg

Triazine derivative LD 50 (Rat): 2.500 mg/kg

Zn compound LD 50 (Rat): > 15.000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Triazine derivative LD 50 (Rat): 5.520 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Zn compound LC 50 (Rat, 4 h): 5,7 mg/l

Skin Corrosion/Irritation:

Product:

non irritant Based on available data, the classification criteria are not met.

Specified substance(s)

Ester derivative OECD 404 (Rabbit):

Not irritant.

Serious Eye Damage/Eye Irritation:

Product: Not irritant.

Classified as "not irritant"; classification was performed in analogy to similiar

products, which were tested in the "OECD405 test" for eye irritation.

Specified substance(s)

Ester derivative (Rabbit):

Irritating to eyes.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

SDS_GB - EN - CP1000444

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Issue Date: 15.01.2015 Revision Date: 04.12.2023

Version: 5.0 Print date: 06.08.2024

7/11



Product name: GLEITMO 2465 V

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

General information: Not applicable Not applicable

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Triaryl phosphate, al-

kyladed

LC 50 (Fish, 96 h): 3,4 mg/l

Lime hydrate LC 50 (Fish, 96 h): 50,6 mg/l (OECD 203)

Ester derivative LC 50 (Fish, 96 h): > 1.001 mg/l

Triazine derivative LC 50 (Fish, 96 h): > 100 mg/l

Aquatic Invertebrates Specified substance(s)

Triaryl phosphate, al-

kyladed

EC 50 (Water Flea, 48 h): 3,9 mg/l

Lime hydrate EC 50 (Water Flea, 48 h): 49,1 mg/l (OECD 202)

Ester derivative EC 50 (Water Flea, 48 h): 1.000 mg/l (OECD 202)

Triazine derivative EC 50 (Water Flea): > 100 mg/l

inorganic Zink salt EC 50 (Water Flea, 48 h): 26 mg/l

Zn compound EC 50 (Water Flea, 48 h): 2,2 mg/l

Chronic Toxicity

Product: Based on available data, the classification criteria are not met.Based on

available data, the classification criteria are met.

Aquatic Invertebrates Specified substance(s)

Lime hydrate NOEC (Water Flea, 14 d): 32 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Lime hydrate NOEC (Alga, 72 h): 48 mg/l

EC 50 (Alga, 72 h): 184,57 mg/l

Issue Date: 15.01.2015 Revision Date: 04.12.2023 Print date: 06.08.2024 SDS GB - EN - CP1000444



Product name: GLEITMO 2465 V

Ester derivative EC 50 (Alga, 72 h): > 900 mg/l (OECD 201)

inorganic Zink salt EC 50 (Algae, 72 h): 0,233 mg/l (OECD 201)

Zn compound EC 50 (Alga, 72 h): 0,17 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

Triaryl phosphate, al-

kyladed

Readily biodegradable

Ester derivative 83,5 - 87,7 % (29 d, OECD 301B) Readily biodegradable

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: The classification of this product is based all or in part on test data.

Water Hazard Class

(WGK):

WGK 2: significantly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

Issue Date: 15.01.2015 Revision Date: 04.12.2023 Print date: 06.08.2024 SDS_GB - EN - CP1000444



Product name: GLEITMO 2465 V

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number: 14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): Hazard No. (ADR): Tunnel restriction code: 14.4 Packing Group: 14.5 Environmental hazards:

14.6 Special precautions for user:

IMDG

14.1 UN number or ID number: 14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Non-dangerous goods Class:

Label(s): EmS No.: 14.3 Packing Group:

14.5 Environmental hazards: 14.6 Special precautions for user:

IATA

14.1 UN number or ID number: 14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:

15.2 Chemical safety as-

No Chemical Safety Assessment has been carried out.

sessment:

Issue Date: 15.01.2015

Revision Date: 04.12.2023 Print date: 06.08.2024 SDS_GB - EN - CP1000444



Product name: GLEITMO 2465 V

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated expo-

sure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Other information: The classification complies with the current GB lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi-

lar mixtures"; Expert Judgement

Revision Date: 04.12.2023

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Revision Date: 04.12.2023 Print date: 06.08.2024 SDS_GB - EN - CP1000444