

DECLARATION OF PERFORMANCE

No. 2873-CPR-201-59

1. Unique identification code of the product type:

Torque controlled bonded anchor Hilti HIT-HY 200 HIT-Z

2. Intended use/es:

Product	Intended use
Bonded fasteners and bonded expansion fasteners for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP:

System 1

5. European Assessment Document

EAD 330499-02-0601

European Technical Assessment:

ETA-19/0632 (26.09.2024)

Technical Assessment Body:

DIBt – Deutsches Institut für Bautechnik

Notified body/ies:

2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex B2, B3, C1, C2, C3
Characteristic resistance for seismic performance category C1	See Annex C4
Characteristic resistance for seismic performance category C2, displacements	See Annex C5, C6

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer
Business Unit Head
Business Unit Anchor

Jürgen Gebhard
Head of Quality
Business Unit Anchor

DECLARATION OF PERFORMANCE

No. 2873-CPR-201-14

1. Unique identification code of the product type:

Torque controlled bonded anchor Hilti HIT-HY 200 HIT-Z

2. Intended use/es:

Product	Intended use
Metal anchors for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP:

System 1

5. European Assessment Document

EAD 330499-01-601

European Technical Assessment:

ETA-12/0006 (28.10.2020)

Technical Assessment Body:

DIBt – Deutsches Institut für Bautechnik

Notified body/ies:

2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex B2, B3, C1, C2, C3
Characteristic resistance for seismic performance category C1	See Annex C4
Characteristic resistance for seismic performance category C2, displacements	See Annex C5, C6

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer
Business Unit Head
Business Unit Anchor

Jürgen Gebhard
Head of Quality
Business Unit Anchor

DECLARATION OF PERFORMANCE

No. 2873-CPR-201-15

1. Unique identification code of the product type:
Torque controlled bonded anchor Hilti HIT-HY 200 HIT-Z

2. Intended use/es:

Product	Intended use
Metal anchors for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:
Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document: EAD 330499-01-0601
European Technical Assessment: ETA-12/0028 (28.10.2020)
Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik
Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:
Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex B2, B3 C1, C2, C3
Characteristic resistance for seismic performance category C1	See Annex C4
Characteristic resistance for seismic performance category C2, displacements	See Annex C5, C6

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Lars Taenzer
Business Unit Head
Business Unit Anchor

Jürgen Gebhard
Head of Quality
Business Unit Anchor

